
5.4 Report of Mismatched Records

After completion of data entry (by import or keyboard), the user should select 'Report of Mismatched Records' from the WinPLUS Main Menu to generate a report of prior-year administrative entity records (FY 2002 file) that do not match (on FSCS ID#) current-year records (FY 2003 file). These mismatches should have been resolved by either deletions, closings, merges, or changes from entities to outlets. The user should review this list for accuracy. A sample report is displayed below:



Choose 'Print' to print the report. Choose 'Close' to return to the WinPLUS Main Menu.

5.5 View/Update Administrative Entity or Outlet Records

This function is used to view <u>existing</u> administrative entity and outlet records, or to make changes to these records through keyboard data entry.

5.5.1 Keyboard and Function Keys for View/Update Records

5.5.1.1 Keyboard Keys. WinPLUS allows the use of the following keyboard keys during data entry to view/update records:

<enter> or <tab></tab></enter>	Accepts data that the user has just typed for the current data element and moves forward to the next data element.
<pgup></pgup>	When applicable, accepts data that the user has just typed for the current dataelement and moves backward one page or screen to the previous screen.
<pgdn></pgdn>	When applicable, accepts data that the user has just typed for the current data element and moves forward one page or screen.

5.5.1.2 Function Keys. The Function keys shown below are usually found to the far left or along the top of the keyboard. Marked F1, F2, etc, they are used to execute WinPLUS commands when the user is viewing or updating the administrative entities or outlets.

<f1> Help</f1>	Displays the definition for a data element while on the data field. Select <esc> to exit the definition.</esc>
<f2> Sort By</f2>	Sorts by Name, LIB ID, FSCS ID, or City.
<f3> Outlets</f3>	Displays the outlet(s) affiliated with the administrative entity.
<f4> Structure Changes</f4>	Opens the Structure Changes menu.
<f5> Save Work</f5>	Saves the current record to the hard disk.
<f6> Outlet Retrieval List</f6>	Displays the OutletRetrieval List.
<f7> Edit Check</f7>	Runs edit checks on the current record.
<f8> Cancel Changes</f8>	Cancels unsaved changes to the current record.
<f9> Previous Record</f9>	Moves to the previous record.
<f11> Next Record</f11>	Moves to the next record.
<ctrl><p></p></ctrl>	Prints the current record.
<ctrl><r></r></ctrl>	Replicates the administrative.
<ctrl><t></t></ctrl>	Re-totals the administrative entity total fields.
<ctrl><x></x></ctrl>	Exits the current record and returns to the WinPLUS Main Menu.


5.5.1.3 Menus

You can move around in WinPLUS by clicking with your mouse, or by using the <TAB> or <ENTER> key. Use the menu choices (File, Edit, View, and Help) at the top of your screen to do specific activities in 'View/Update Administrative Entity or Outlet Records'.

5.5.2 View/Update Administrative Entity Records


To view administrative entity or outlet records, or to make changes to these records through keyboard data entry, select WinPLUS Main Menu option 'View/Update Administrative or Outlet Records'. Each administrative entity record consists of three data entry screens. The top of each screen displays the entity's LIB ID, library name, FSCS ID, and City, for easy identification. Page 1 displays data elements 1 through 25.


Use the 'Enter' and 'Tab' keys to move from field to field on the data entry screen. When data are entered in the last field of the first and second screens, the cursor moves to the next screen. The user can move from screen to screen of the current administrative entity using the 'Previous Page' and 'Next Page' keys at the bottom of the screen, or the 'Page Up' and 'Page Down' keys. Save changes by choosing the 'Save Work' or 'Exit' keys. To cancel the changes prior to saving, select 'Cancel Changes'.




The user can move among different administrative entities by using the "Navigate Records" arrows at the bottom of the screen or the <F9> and <F11> function keys. Note that pressing <F9>, <F11>, or the "Navigate Records" arrows will also save the current record.


When the user selects 'Next Page', page 2 is opened, displaying data elements 26 through 45.








To access administrative entity records by LIB ID, FSCS ID, Name, or City, use the drop-down boxes attached to these data elements to select the desired entity. The FSCS ID drop-down box is displayed below:



Drop-down boxes are also included on page 1 for Interlibrary Relationship Code, Legal Basis Code, Administrative Structure Code, FSCS Public Library, Geographic Code, and Boundary Change. The drop-down box for Administrative Structure Code is displayed below.



Name or Address (of library) Change

When the user updates the Name or Address (of library) data element for the administrative entity under 'View/Update Administrative Entity or Outlet Records', the 'Name/Address Change Menu' window is automatically displayed. WinPLUS prompts the user for more information so that the name/address change can be tracked in the historical file, if appropriate.

The choices for a change in the name of a library are:

- 1. This Administrative Entity has officially changed its Name.
- 2. This is the preferred spelling of the Name.


The choices for a change in the street address are:

- 1. This Administrative Entity has moved to a new location.
- 2. This is the preferred Street Address.


If the user chooses the first option in either case, they are asked 'Has there been an organizational Structure Change?' If 'Yes' is selected, WinPLUS prompts the user to make the structure change via the 'Administrative Entity Structure Changes' option on the WinPLUS Main Menu (see Section 5.6). If 'No' is selected, WinPLUS simply tracks the change in the historical database and the address/name change is saved to the database.

5.5.3 View/Update Outlet Records

Outlets can also be accessed from the WinPLUS Main Menu option 'View/Update Administrative Entity or Outlet Records'. Outlets of the current administrative entity are displayed via the <F3> function key; by selecting 'View', then 'Outlets' from the menu bar at the top of the screen; or by selecting the 'View Outlets' button at the bottom of the administrative entity screen. The 'Outlet Retrieval List' (showing all outlets for your state) will appear and disappear when the user clicks on 'View' and then on 'Outlet Retrieval List' or uses the <F6> function key. The user can scroll down the list to choose an outlet. While the list is visible, select the outlet that you would like to view/update and then select 'Enter'. An outlet screen is shown below:



On the outlet screen, the LIB ID and 'Select Affiliated Outlet' items have drop-down boxes that allow the user to move from one outlet to another outlet of the same administrative entity. The drop-down box for LIBID on the outlet screen is displayed below:



Name or Address (of library) Change

When the user updates the Name or Address (of library) data element for the outlet under 'View/Update Administrative Entity or Outlet Records', the 'Name/Address Change Menu' is automatically displayed. WinPLUS prompts the user for more information so that the name/address change can be tracked in the historical file, if appropriate.

The choices for a change in the name of a library are:

- 1. This Outlet had officially changed its Name.
- 2. This is the preferred spelling of the Name.

The choices for a change in the street address are:

- 1. This Outlet has moved to a new location.
- 2. This is the preferred Street Address.

If the user chooses the first option in either case, they are asked 'Has there been an organizational Structure Change?' If 'Yes' is selected, WinPLUS prompts the user to make the structure change via the 'Outlet Structure Changes' option on the WinPLUS Main Menu (see Section 5.7). If 'No' is selected, WinPLUS simply tracks the change in the historical database and the address/name change is saved to the database.

5.5.4 Edit Checking During View/Update Records

During View/Update, interactive edit checks are limited to invalid entries (e.g., invalid codes in fields such as Interlibrary Relationship, Legal Basis, and Administrative Structure; and alphabetic entries in numeric fields).

Invalid entries are not permitted under any circumstances. WinPLUS software uses a -2 to indicate a data element that has been left blank. The user **must** make a valid entry (i.e., -1, 0, -3, a positive number, or alphanumeric data, as appropriate). Estimates can be used if exact data are not available. The following responses are acceptable to WinPLUS:

-1	"-1" means "We don't know the answer, don't collect this data, or can't get the data right now."
0	Zero means "we have none of this item" (e.g., the library does not maintain a video collection).
-3	"-3" means "Not Applicable" and is used for these items only:
	 Phone (use only if library has no phone) Web Address (use only if library has no Web Address) Square Footage of Outlet (use only for Bookmobiles and Books-by-Mail Only outlets)
Any positive number for numeric data elements	Enter the appropriate numeric data for the data element.
Alphabetic and/or numeric data for alphanumeric data elements	Enter the appropriate alphabetic and/or numeric data. Some items require the selection of codes for data (e.g., Interlibrary Relationship Code = HQ, ME, or NO). See appendices E and F.

5.6 Administrative Entity Structure Changes

This option allows the user to add new libraries and delete closed libraries, as well as to track administrative entity mergers and libraries that change from administrative entities to outlets. These structure changes and official name and address changes are tracked automatically in a historical file as the user enters the data, so there is little additional burden to the WinPLUS user.

5.6.1 Edit Checking During Administrative Entity Structure Changes


During 'Administrative Entity Structure Changes', interactive edit checks are limited to invalid entries (e.g., invalid codes in fields such as Interlibrary Relationship, Legal Basis, and Administrative Structure; and alphabetic entries in numeric fields).

Invalid entries are not permitted under any circumstances. WinPLUS software uses a -2 to indicate a data element that has been left blank. The user **must** make a valid entry (i.e., -1, 0, -3, a positive number, or alphanumeric data, as appropriate). Estimates can be used if exact data are not available. The following responses are acceptable to WinPLUS:

-1	"-1" means "We don't know the answer, don't collect this data, or can't get the data right now."
0	Zero means "we have none of this item" (e.g., the library does not maintain a video collection).
-3	 "-3" means "Not Applicable" and is used for these items only: Phone (use only if library has no phone) Web Address (use only if library has no Web Address)
Any positive number for numeric data elements	Enter the appropriate numeric data for the data element.
Alphabetic and/or numeric data for alphanumeric data elements	Enter the appropriate alphabetic and/or numeric data. Some items require the selection of codes for data (e.g., Interlibrary Relationship Code = HQ, ME, or NO). See appendix E.


Administrative Entity Structure Changes Menu

To access the 'Administrative Entity Structure Changes' menu, select 'Administrative Entity Structure Changes' from the WinPLUS Main Menu. This menu gives the user a list of options (shown below) for making structure changes to administrative entity records.



5.6.2 Add New Administrative Entity

To add a completely new administrative entity record, select 'Add New Administrative Entity' from the 'Administrative Entity Structure Changes' menu. When you select 'Continue', the Add New Administrative Entity data entry screen is displayed with the cursor positioned at the LIB ID data element. Enter the LIB ID#. WinPLUS automatically generates the FSCS ID#.




If the user does not enter a LIB ID#, WinPLUS automatically creates one based on the FSCS ID#. The number assigned is the next highest FSCS ID# from the one previously assigned. Next, the cursor is automatically positioned on the Name data element. After the user enters the library name, pressing the 'Tab' or 'Enter' key automatically positions the cursor at the next data element in sequence, etc.


Select 'Save Now' or 'Exit' to save the new administrative entity record. Select 'Cancel Add' to stop the add process, without saving your current entries, and return to the 'Administrative Entity Structure Changes' menu at any time during this process.

5.6.3 Change From Administrative Entity to Outlet

To change an administrative entity record to an outlet record, select 'Change from Administrative Entity to Outlet' from the 'Administrative Entity Structure Changes' menu. The administrative entity that changed to an outlet is tracked in the historical database under the old FSCS ID# and the new outlet's FSCS ID#.




When you select 'Continue', a list of all administrative entities is displayed. Select the administrative entity that is changing to an outlet by clicking on the gray box to the left of the name. *The entire row must be highlighted.* Select 'Change to Outlet' to continue.



You will receive the message 'Change this Administrative Entity to an Outlet?' If you select 'No', the structure change is canceled.

If you select 'Yes' and outlets exist for the administrative entity selected to change to an outlet, you are prompted with the message 'Outlets exist. You must first delete all outlets associated with this Entity'. The structure change is canceled. You must reconcile the outlets before the administrative entity can be changed to an outlet. This is because outlets must be attached to an administrative entity. To reconcile the outlets, return to the WinPLUS Main Menu and then select option 'Outlet Structure Changes' and follow instructions in section 5.7—Outlet Structure Changes. After all outlets have been reconciled, return to WinPLUS Main Menu option 'Administrative Entity Structure Changes'. Follow the instructions for 'Change from Administrative Entity to Outlet'.




If you select 'Yes' and all outlets are reconciled, you will be asked, 'Select an Administrative Entity to be the parent record for this Administrative Entity that you are changing to an Outlet'. Select the administrative entity that will become the parent record by clicking on the gray box to the left of the names. The entire row must be highlighted. Select 'Continue' to complete the structure change.

You must enter data for the new outlet for data elements #9-Outlet Type Code, #10-Metropolitan Status Code, #11-Square Footage (if the outlet type code is CE or BR) and #12-Number of Bookmobiles. Use WinPLUS Main Menu option 'View/Update Administrative Entity and Outlet Records' for data entry.


5.6.4 Merge Two Or More Administrative Entities

To merge administrative entity records, select 'Merge Two or More Administrative Entities' from the 'Administrative Entity Structure Changes' menu, and select 'OK' to continue. (Note: WinPLUS automatically assigns the new administrative entity a new FSCS ID#. The number assigned is the next highest FSCS ID# from the one previously assigned. All branches, bookmobiles and centrals are carried over to the new administrative entity record. The old administrative entities that merged are tracked in the historical database under their old and new FSCS ID #s.)




Next, select the administrative entities to be merged by clicking on the gray box to the left of the names. *The entire row must be highlighted*. You will then receive the message 'Do you want to carry over one of the Administrative Entities?'

If you select 'Yes', you are prompted to 'Select Administrative Entity to carry over'. Select the administrative entity to carry over by clicking on the gray box to the left of the name. *The entire row must be highlighted*.



The name and address information for the entity you selected will carry over to the new entity. If you select 'No', these items are left blank.




Next, the 'Merge Administrative Entities' screen is displayed. Enter the data for the newly merged administrative entity record. The outlets from the old administrative entities are now attached to the newly merged administrative entity record. Select 'Save Now' or 'Exit' to save the data, or select 'Cancel Merge' to cancel the structure change and return to the 'Administrative Entity Structure Changes' menu.

5.6.5 Delete Closed Administrative Entity (Library did not merge or change)

To delete an administrative entity that has closed, choose 'Delete Closed Administrative Entity' from the 'Administrative Entity Structure Changes' menu and select 'Continue'. (Note: The closed administrative entity record is deleted from the administrative entity file, but is automatically tracked in the historical database under its original FSCS ID# and can later be restored. See section 5.6.7—Restore Previous Deletion).

The next screen will display a list of all administrative entities. Choose the administrative entity that you want to delete by clicking on the gray box to the left of the name. *The entire row must be highlighted*. When you choose 'Close', you will be asked 'Do you want to delete this Administrative Entity and all of its Outlets?'




Choose 'No' to cancel, or 'Yes' to delete the closed administrative entity.

5.6.6 Delete Incorrect Record

To delete an incorrect administrative entity, choose 'Delete Incorrect Record' from the 'Administrative Entity Structure Changes' and choose 'Continue'. (Note: The deleted administrative entity is tracked in the historical database under its original FSCS ID# and can later be restored. See section 5.6.7—Restore Previous Deletion).


The next screen will display a list of all administrative entities. Choose the administrative entity that you want to delete by clicking on the gray box to the left of the name. *The entire row must be highlighted*. Click on 'Delete'. You will be asked, 'Do you want to delete this Administrative Entity and all of its Outlets?




Choose 'Yes' to delete, 'No' to cancel. If you choose 'Yes', you will receive the message 'Delete completed'.

5.6.7 Restore Previous Deletion

To restore an administrative entity record, choose 'Restore Previous Deletion' from the 'Administrative Entity Structure Changes' menu. (Note: The deleted record is restored from the historical database and becomes a current record under its original FSCS ID#.)



Choose the administrative entity to restore from the list of administrative entities by clicking on the gray box to the left of the name. *The entire row must be highlighted.* Choose 'Restore'.



The historical database only restores data for data elements 1 through 12 and 14 through 19. Enter the data for the remaining items later from the WinPLUS Main Menu option 'View/Update Administrative Entity or Outlet Records'. Select 'Save Now' or 'Exit' to save the changes or 'Cancel Restore' to cancel the procedure.